



Local Public Agency Material Proposal or Deliver & Install Proposal

**Proposal Submitted By:**  
 Contractor's Name  
 \_\_\_\_\_  
 Contractor's Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

STATE OF ILLINOIS  
 Local Public Agency \_\_\_\_\_ County \_\_\_\_\_ Section Number \_\_\_\_\_  
 CITY OF TROY \_\_\_\_\_ Madison \_\_\_\_\_ 23-00000-00-GM  
 Street Name/Road Name \_\_\_\_\_ Type of Funds \_\_\_\_\_  
 VARIOUS \_\_\_\_\_ MFT \_\_\_\_\_

Material proposal  Deliver and Install Proposal  Plans

**For a County and Road District Project**

Submitted/Approved  
 Highway Commissioner Signature & Date  
 \_\_\_\_\_

Submitted/Approved  
 County Engineer/Superintendent of Highways Signature & Date  
 \_\_\_\_\_

**For a Municipal Project**

Submitted/Approved/Passed  
 Signature & Date  
 \_\_\_\_\_ 1/27/2023  
 Official Title  
 City Administrator

**Department of Transportation**

Released for bid based on limited review  
 Regional Engineer Signature & Date  
 \_\_\_\_\_

Note: All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed.

Local Public Agency	County	Section Number
CITY OF TROY	Madison	23-00000-00-GM

**NOTICE TO BIDDERS**

Sealed proposals for the project described below will be received at the office of CITY HALL-ADMINISTRATION  
 Name of Office  
116 E. MARKET ST. TROY, IL 62294 until 10:00 AM on 03/27/2023  
 Address Time Date

1. Plans and proposal forms will be available in the office of  
CITY HALL - ADMINISTRATION

2.  Prequalification  
 If checked, the 2 low bidders must file within 24 hours after the letting an "Affidavit of Availability" (Form BC 57) in duplicate, showing all uncompleted contracts awarded to them and all low bids pending award for Federal, State, County, Municipal and private work. One original shall be filed with the Awarding Authority and one original with the IDOT District Office.
3. The Awarding Authority reserves the right to waive technicalities and to reject any or all proposals as provided in BLRS Special Provision for Bidding Requirements and Conditions for Material/Deliver and Install Proposals.
4. A proposal guaranty in the proper amount, as specified in the BLRS Special Provision for Bidding Requirements and Conditions for Material/Deliver and Install Proposals, will be required. See the attached Special Provisions for specific instructions for proposal guaranty for this proposal packet.
5. The successful bidder at the time of execution of the contract will be required to deposit a contract bond or proposal guaranty as provided for in the special provisions. Failure on the part of the contractor to deliver the material within the time specified or to do the work specified herein will be considered just cause to forfeit his surety as provided in Article 108.10 of the Standard Specifications.
6. Proposals shall be submitted on forms furnished by the Awarding Authority and shall be enclosed in an envelope endorsed "Material Proposal, Section 23-00000-00-GM".

By Order of Awarding Authority	County Engineer/Superintendent of Highways/ Municipal Clerk	Date
CITY OF TROY	KIM THOMAS, CLERK	01/27/23

**Material Proposal or Deliver & Install Proposal**

To  
 Awarding Authority  
CITY OF TROY

Awarding Authority Address	City	State	Zip Code
116 E. MARKET ST.	TROY	IL	62294

- If this bid is accepted within 45 days from the date of opening, the undersigned agrees to furnish or to deliver & install any or all of the materials, at the quoted unit prices, subject to the following:
- It is understood and agreed that the "Standard Specifications for Road and Bridge Construction", adopted 01/01/22 and the "Supplemental Specifications and Recurring Special Provisions", adopted 01/01/23, prepared by the Department of Transportation, shall govern insofar as they may be applied and insofar as they do not conflict with the special provision and supplemental specifications attached hereto.
  - It is understood that quantities listed are approximate only and that they may be increased or decrease as may be needed to properly complete the improvement within its present limits or extensions thereto, at the unit prices stated and that bids will be compared on the basis of total price bid for each group.
  - Delivery in total or partial shipments as ordered shall be made within the time specified in the special provisions or by the acceptance at the point and in the manner specified in the "Schedule of Prices". If delivery on the job site is specified, it shall mean any place or paces on the road designed by the awarding authority or its authorized representative.
  - The contractor and/or local public agency performing the actual material placement operations shall be responsible for providing work zone traffic control, unless otherwise specified in this proposal. Such devices shall meet the requirements of and be installed in accordance with applicable provisions of the "Illinois Manual on Uniform Traffic Control Devices" and any referenced Illinois Highway Standards.

Local Public Agency	County	Section Number
CITY OF TROY	Madison	23-00000-00-GM

- Each pay item should have a unit price and a total price. If no total price is shown or if there is a discrepancy between the product of the unit price multiplied by the quantity, the unit price shall govern. If a unit price is omitted, the total price will be divided by the quantity in order to establish a unit price. A bid will be declared unacceptable if neither a unit price nor a total price is shown.
- A proposal guaranty in the proper amount, as specified in BLRS Special Provision for Bidding Requirements and Conditions for Contract Proposals, will be required. The proposal guaranty as specified in the special provisions is attached.

If a bid bond is allowed or required, Department form BLR 12230 or a proposal guaranty check, complying with the specifications, made payable to: CITY OF TROY Treasurer of \_\_\_\_\_.

The amount of the check is ONE THOUSAND DOLLARS AND NOT CENTS ( \$1,000.00 ).

**Attach Cashier's Check or Certified Check Here**

In the event that one proposal guaranty check is intended to cover two or more bid proposals, the amount must be equal to the sum of the proposal guaranties which would be required for each individual bid proposal. If the proposal guaranty check is placed in another bid proposal, state below where it may be found.

The proposal guaranty check will be found in the bid proposal for: Section Number \_\_\_\_\_).

Discounts will be allowed for payment as follows: \_\_\_\_\_ calendar days \_\_\_\_\_ calendar days

Discounts will not be considered in determining the low bidder

Bidder

By

Title



Address

City

State

Zip Code

## Instructions for BLR 12240 - Page 1 of 2

Note: The instructions should not be included when the form is submitted.

This form is used when a Local Public Agency (LPA) desires to solicit bids for a project. This form shall be included in all material proposals and/or deliver and install proposals for bidding purposes. This includes both maintenance and construction projects. Refer to Chapter 12 of the Bureau of Local Roads and Streets (BLRS) Manual for more information. This form used be used in conjunction with BLR 12241, Schedule of Prices.

When filling out this form electronically, once a field is initially completed, fields requiring the same information will be auto-populated.

Proposal Submitted By:

Contractor's Name (to be completed by Bidder) Contractor will insert their name when submitting a proposal packet for bid.

Contractor's Address (to be completed by Bidder) Contractor will insert legal address when submitting a proposal packet for bid.

Local Public Agency (LPA) Insert the name of the LPA soliciting bids for the project.

County Insert the name of the County in which the LPA is located.

Street Name/Road Insert the name of the street/road on which the project is located.

Section Number Insert the section number assigned to this project without dashes.

Type of Funds Insert the type of funds being used to fund this project.

For a County and Road District Project

Highway Commissioner Signature For a Road District Project the Highway Commissioner shall sign and date here.

County Engineer/Superintendent of Highways For a road district project or county project, the County Engineer/Superintendent of Highways shall sign and date here.

For a Municipal Project

Signature and Date For a Municipal project the appropriate municipal official shall sign and date here.

Official Title Insert the title of the official who signed above.

Department of Transportation

Regional Engineer Signature and Date Upon a limited review the Regional Engineer shall sign and date here.

### NOTICE TO BIDDERS

Name of Office Insert the name of the office where the sealed proposals will be opened and read publicly

Address Insert the physical address of the name of office listed above.

Time Insert the time the sealed proposals will be opened and read publicly.

Date Insert the date the sealed proposals will be opened and read publicly.

1. Plans and proposal forms available Insert the name and location where the plans and proposals forms will be available.

2. Prequalification Check this box if prequalification of the bidder is/will be required for this proposal.

6. Section Insert the section number this proposal packet covers.

Awarding Authority Insert the name of the awarding authority for this proposal package.

County/Engineer/Superintendent of Highways /Municipal Clerk Insert the name of the County/Engineer/Superintendent of Highways/Municipal Clerk's name here.

## Instructions for BLR 12240 - Page 2 of 2

### Material Proposal or Deliver & Install Proposal

- To Awarding Authority Insert the name and address of the awarding authority.
1. Insert the date of adoption of the Standard Specification for Road and Bridge Construction. Insert the date of adoption of the Supplemental Specifications and Recurring Special Provisions.
6. Insert the party to whom the proposal guaranty check should be made payable to Treasurer of.
- Amount of check This field will be completed by the bidder. The bidder will insert the amount of the proposal guarantee check attached.

### Attach Cashier's Check or Certified Check Here

- Section Number Insert the section number where the cashier's check or certified check is attached.
- Discounts This field will be completed by the bidder with the amount of discount allowed if applicable along with the number of calendar days.
- Bidder This field will be completed by the bidder. The bidder will insert their name.
- By This field will be completed by the bidder. The name of the individual completing the paperwork for the bidder will be inserted.
- Title This field will be completed by the bidder. Insert the title of the person whose name is inserted in the "By" field.
- Address This field will be completed by the bidder. Insert the address of the Bidder.

### A minimum of four (4) signed originals must be submitted to the Regional Engineer's District Office.

Following the Regional Engineer's approval, distribution will be as follows:

- Local Public Agency (2)
- Engineer (Municipal, Consultant or County)
- District File



Local Public Agency

County

Section Number

CITY OF TROY

Madison

23-00000-00-GM

**Material Proposal Schedule of Prices**

Group No.	Item(s)	Delivery	Unit	Quantity	Unit Price	Total
1	HFRS-2	Furnish & Apply	Gal	11000		
2A	Bit. Material Hot Mix	City Trucks	Ton	250		
	Plant Locaton _____					
2B	Bit. Material Cold Mix	City Trucks	Ton	50		
	Plant Location _____					
3A	Concrete 6 Bag Mix	City Streets	Yd	400		
3B	Concrete 6 Bag Mix Sht. Ld.	City Streets	yd	30		
4	CA/CM 13 ACBFS	Stockpile	Ton	500		
5	CA 6	Stockpile	Ton	300		
	CA 7	Stockpile	Ton	500		
6A	Crack Seal	Furnish & Apply	Pounds	15000		
6B	Crack Routing	Furnish & Apply	LF	10500		

The undersigned firm certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent, or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm. The undersigned firm further certifies that it is not barred from contracting with any unit of State or local government as a result of a violation of State laws prohibiting bid-rigging or bid rotating.

Bidder Signature & Date

Address

City

State

Zip Code

--	--	--	--

### Instructions for BLR 12241 - Page 1 of 1

Note: The instructions should not be included when the form is submitted.

This form is used when a Local Public Agency (LPA) desires to solicit bids for a project. This form shall be used by the bidder to insert their unit prices and bid amounts. This includes both maintenance and construction projects. Refer to Chapter 12 of the Bureau of Local Roads and Streets (BLRS) Manual for more information.

When filling out this form electronically, once a field is initially completed, fields requiring the same information will be auto-populated.

Local Public Agency	Insert the name of the LPA soliciting bids for the project.
County	Insert the name of the County in which the LPA is located.
Section Number	Insert the section number assigned to this project without dashes.
Group No.	If applicable, insert the group number assigned to the item listed to the right.
Item(s)	Insert the name of the item being bid.
Delivery	Insert the delivery type for the item listed to the left.
Unit	Insert the unit of measure for the item listed to the left.
Quantity	Insert the quantity for the item listed to the left.
Unit Price	The bidder shall insert the unit price for the item listed to the left.
Total	The bidder shall insert the total, which is quantity times the unit price. If the form is being filled out electronically, this field will automatically calculate the total.
Add Row	Add additional rows for more items as needed.
Signature of Bidder	The bidder shall sign and date here.
Address	The bidder shall insert their street address here.
City	The bidder shall insert their city address here.
State	The bidder shall select the State for the address listed to the left.
Zip Code	The bidder shall insert the zip code associated with the address listed.

This form shall be inserted into the material proposal/deliver and install proposal package. Distribution shall be the same as the package.



**Affidavit of Illinois Business Office**

Local Public Agency	County	Street Name/Road Name	Section Number
CITY OF TROY	Madison	VARIOUS	23-00000-00-GM

I, \_\_\_\_\_ of \_\_\_\_\_, \_\_\_\_\_,  
 Name of Affiant City of Affiant State of Affiant  
 being first duly sworn upon oath, state as follows:

1. That I am the \_\_\_\_\_ of \_\_\_\_\_,  
 Officer or Position Bidder
2. That I have personal knowledge of the facts herein stated.
3. That, if selected under the proposal described above, \_\_\_\_\_, will maintain a business office in the  
 Bidder  
 State of Illinois, which will be located in \_\_\_\_\_ County, Illinois.  
 County
4. That this business office will serve as the primary place of employment for any persons employed in the construction contemplated by this proposal.
5. That this Affidavit is given as a requirement of state law as provided in Section 30-22(8) of the Illinois Procurement Code.

Signature & Date

Print Name of Affiant

**Notary Public**

State of IL

County \_\_\_\_\_

Signed (or subscribed or attested) before me on \_\_\_\_\_ by \_\_\_\_\_  
(date)

\_\_\_\_\_, authorized agent(s) of \_\_\_\_\_  
(name/s of person/s)

\_\_\_\_\_  
Bidder

Notary Public Signature & Date

(SEAL)

My commission expires \_\_\_\_\_

## Instructions BLR 12326 - Page 1 of 1

The instructions should not be included when the form is submitted.

This form shall be used for Local Public Agency (LPA) contract proposals and deliver and install proposals. It must be completed by all bidders and submitted with their bids. This is not to be used for Federally Funded projects. See the Bureau of Local Roads and Streets Manual (BLRS) Chapter 12 for more information.

Local Public Agency	Insert the name of the LPA soliciting bids for the project.
County	Insert the name of the County in which the LPA is located.
Street Name/Road Name	Insert the name of the street/road on which the project is located. For projects that include several streets or routes insert various.
Section Number	Insert the section number assigned to this project without dashes.
Name of Affiant	Insert the name of the Affiant.
City of Affiant	Insert the city of residence of the Affiant.
State of Affiant	Insert the State of residence of the Affiant.
Officer or Position	Insert the position held by the Affiant.
Bidder	Insert the bidder's company name.
Bidder	Insert the bidder's company name.
County of	Insert the name of the County the Affiant is in.
Signature	The Affiant must sign and date here.
Name of Affiant	Insert the name of the Affiant (typed or printed).
State	Insert the name of the state where the signer(s) personally appeared before the notary public.
County	Insert the name of the county where the signer(s) personally appeared before the notary public.
Date	Insert the date the notary witnessed the signature(s).
Name	Insert the name(s) of the Affiant.
Bidder	Insert the bidder's company name.
Notary Signature	The Notary must sign and seal here.
Date Commission Expires	The Notary must write the date their commission expires here.

### Distribution:

Upon completion this document gets inserted into the Formal Contract Proposal (BLR 12200) or the Material Proposal/Deliver and Install Proposal (BLR 12240) and **must be** submitted with the contractor's bid.

Upon execution of a formal contract this form is to be submitted with the formal contract package to the Department. For a Material/Deliver and Install project this form is to be maintained by the LPA.



# Apprenticeship and Training Program Certification

Local Public Agency	County	Street Name/Road Name	Section Number
CITY OF TROY	Madison	VARIOUS	23-00000-00-GM

**All contractors are required to complete the following certification**

- For this contract proposal or for all bidding groups in this deliver and install proposal.
- For the following deliver and install bidding groups in this material proposal.

Illinois Department of Transportation policy, adopted in accordance with the provisions of the Illinois Highway Code, requires this contract to be awarded to the lowest responsive and responsible bidder. The award decision is subject to approval by the Department. In addition to all other responsibility factors, this contract or deliver and install proposal requires all bidders and all bidder's subcontractors to disclose participation in apprenticeship or training programs that are (1) approved by and registered with the United States Department of Labor's Bureau of Apprenticeship and Training, and (2) applicable to the work of the above indicated proposals or groups. Therefore, all bidders are required to complete the following certification:

1. Except as provided in paragraph 4 below, the undersigned bidder certifies that it is a participant, either as an individual or as part of a group program, in an approved apprenticeship or training program applicable to each type of work or craft that the bidder will perform with its own employees.
2. The undersigned bidder further certifies, for work to be performed by subcontract, that each of its subcontractors either (A) is, at the time of such bid, participating in an approved, applicable apprenticeship or training program; or (B) will, prior to commencement of performance of work pursuant to this contract, establish participation in an approved apprenticeship or training program applicable to the work of the subcontract.
3. The undersigned bidder, by inclusion in the list in the space below, certifies the official name of each program sponsor holding the Certificate of Registration for all of the types of work or crafts in which the bidder is a participant and that will be performed with the bidder's employees. Types of work or craft that will be subcontracted shall be included and listed as subcontract work. The list shall also indicate any type of work or craft job category for which there is no applicable apprenticeship or training program available.

4. Except for any work identified above, if any bidder or subcontractor shall perform all or part of the work of the contract or deliver and install proposal solely by individual owners, partners or members and not by employees to whom the payment of prevailing rates of wages would be required, check the following box, and identify the owner/operator workforces and positions of ownership.

The requirements of this certification and disclosure are a material part of the contract, and the contractor shall require this certification provision to be included in all approved subcontracts. The bidder is responsible for making a complete report and shall make certain that each type of work or craft job category that will be utilized on the project is accounted for and listed. The Department at any time before or afterward may require the production of a copy of each applicable Certificate of Registration issued by the United States Department of Labor evidencing such participation by the contractor and any or all of its subcontractors. In order to fulfill the participation requirement, it shall not be necessary that any applicable program sponsor be currently taking or that it will take applications for apprenticeship, training or employment during the performance of the work of this contract or deliver and install proposal.

Bidder	Signature & Date		
<div style="border: 1px solid black; height: 20px;"></div>	<div style="border: 1px solid black; height: 40px;"></div>		
Title			
<div style="border: 1px solid black; height: 20px;"></div>			
Address	City	State	Zip Code
<div style="border: 1px solid black; height: 20px;"></div>			

### Instructions for BLR 12325 - Page 1 of 1

Instructions should not be included when the form is submitted.

This form shall be used by the Local Public Agency (LPA) for contract proposal or material proposal/deliver and install project. It must be completed by all bidders and submitted with their bids. This is not to be used for Federally Funded projects. See the Bureau of Local Roads and Streets Manual (BLRS) Chapter 12 for more information.

Local Public Agency	Insert the name of the LPA soliciting bids for the project.
County	Insert the name of the County in which the LPA is located.
Street Name/ Road Name	Insert the name of the street/road on which the project is located. For projects that include several streets or roads insert various.
Section Number	Insert the section number assigned to this project without dashes.
Box 1	Check this box if this is a contract proposal or if all groups are a deliver and install proposal.
Box 2	Check this box if there are only certain groups within the material proposal that require delivery and installation.
Groups	Insert the individual groups from the material proposal schedule of prices (BLR 12241) that require the bidder to deliver and install.
Training Programs	Insert the names of all the apprenticeship or training programs that the contractor or subcontractor participates in.
Ownership	Check this box if the bidder or subcontractor will perform all or part of the work by individual owners, partners, or members and not by employees covered by prevailing wages.
Owner/operator	Insert the name(s) and position(s) of the owner/operator, if the box from above has been checked.
Bidder	Insert the name of the individual bidder or company name of the bidder.
Address	Insert the address of the bidder.
Signature	The bidder must sign and date here.
Title	Insert the title of the bidder that signed above.

#### **Distribution:**

This form is to be included in the proposal packet, except for federally funded projects, completed by bidder and returned with bid. Upon execution of a formal contract this is to be submitted with the formal contract package to the Department. For a Material/Deliver and Install project this to be maintained by the LPA. Distribution will be as listed on BLR 12200, BLR 12320, BLR 12240.

INDEX  
FOR  
SUPPLEMENTAL SPECIFICATIONS  
AND RECURRING SPECIAL PROVISIONS

Adopted January 1, 2023

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS, frequently used RECURRING SPECIAL PROVISIONS, and LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS.

ERRATA Standard Specifications for Road and Bridge Construction  
(Adopted 1-1-22) (Revised 1-1-23)

SUPPLEMENTAL SPECIFICATIONS

<u>Std. Spec. Sec.</u>		<u>Page No.</u>
202	Earth and Rock Excavation .....	1
204	Borrow and Furnished Excavation.....	2
207	Porous Granular Embankment .....	3
211	Topsoil and Compost .....	4
407	Hot-Mix Asphalt Pavement (Full-Depth) .....	5
420	Portland Cement Concrete Pavement .....	6
502	Excavation for Structures .....	7
509	Metal Railings .....	8
540	Box Culverts .....	9
542	Pipe Culverts .....	29
586	Granular Backfill for Structures .....	34
644	High Tension Cable Median Barrier .....	35
782	Reflectors .....	36
801	Electrical Requirements .....	38
821	Roadway Luminaires .....	40
1003	Fine Aggregates .....	41
1004	Coarse Aggregates .....	42
1020	Portland Cement Concrete .....	43
1030	Hot-Mix Asphalt .....	44
1067	Luminaire .....	45
1097	Reflectors .....	52

RECURRING SPECIAL PROVISIONS

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

<u>CHECK SHEET #</u>		<u>PAGE NO.</u>
1	Additional State Requirements for Federal-Aid Construction Contracts .....	53
2	Subletting of Contracts (Federal-Aid Contracts) .....	56
3	EEO .....	57
4	Specific EEO Responsibilities Non Federal-Aid Contracts .....	67
5	Required Provisions - State Contracts .....	72
6	Asbestos Bearing Pad Removal .....	78
7	Asbestos Waterproofing Membrane and Asbestos HMA Surface Removal .....	79
8	Temporary Stream Crossings and In-Stream Work Pads .....	80
9	Construction Layout Stakes .....	81
10	Use of Geotextile Fabric for Railroad Crossing .....	84
11	Subsealing of Concrete Pavements .....	86
12	Hot-Mix Asphalt Surface Correction .....	90
13	Pavement and Shoulder Resurfacing .....	92
14	Patching with Hot-Mix Asphalt Overlay Removal .....	93
15	Polymer Concrete .....	95
16	Reserved .....	97
17	Bicycle Racks .....	98
18	Temporary Portable Bridge Traffic Signals .....	100
19	Nighttime Inspection of Roadway Lighting .....	102
20	English Substitution of Metric Bolts .....	103
21	Calcium Chloride Accelerator for Portland Cement Concrete .....	104
22	Quality Control of Concrete Mixtures at the Plant .....	105
23	Quality Control/Quality Assurance of Concrete Mixtures .....	113
24	Reserved .....	129
25	Reserved .....	130
26	Temporary Raised Pavement Markers .....	131
27	Restoring Bridge Approach Pavements Using High-Density Foam .....	132
28	Portland Cement Concrete Inlay or Overlay .....	135
29	Portland Cement Concrete Partial Depth Hot-Mix Asphalt Patching .....	139
30	Longitudinal Joint and Crack Patching .....	142
31	Concrete Mix Design – Department Provided .....	144
32	Station Numbers in Pavements or Overlays .....	145

LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

Table of Contents

<u>CHECK SHEET #</u>		<u>PAGE NO.</u>
LRS1	Reserved .....	147
LRS2	Furnished Excavation .....	148
LRS3	Work Zone Traffic Control Surveillance .....	149
LRS4	Flaggers in Work Zones .....	150
LRS5	Contract Claims .....	151
LRS6	Bidding Requirements and Conditions for Contract Proposals .....	152
LRS7	Bidding Requirements and Conditions for Material Proposals .....	158
LRS8	Reserved .....	164
LRS9	Bituminous Surface Treatments .....	165
LRS10	Reserved .....	169
LRS11	Employment Practices .....	170
LRS12	Wages of Employees on Public Works .....	172
LRS13	Selection of Labor .....	174
LRS14	Paving Brick and Concrete Paver Pavements and Sidewalks .....	175
LRS15	Partial Payments .....	178
LRS16	Protests on Local Lettings .....	179
LRS17	Substance Abuse Prevention Program .....	180
LRS18	Multigrade Cold Mix Asphalt .....	181
LRS19	Reflective Crack Control Treatment .....	182

State of Illinois  
Department of Transportation

ERRATA  
STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION

Adopted: January 1, 2022  
Revised: January 1, 2023

- Page viii Table of Contents. Change "SECTION 586. SAND BACKFILL FOR VAULTED ABUTMENTS" to "SECTION 586. GRANULAR BACKFILL FOR STRUCTURES".
- Page 170 Article 352.18(b)(3). Change "unstable and/or unsuitable material" to "unsuitable material".
- Page 170 Article 352.18(b)(4). Change "unstable and/or unsuitable material" to "unsuitable material".
- Page 170 Article 352.19(c). Change "unstable and/or unsuitable material" to "unsuitable material".
- Page 170 Article 352.19(d). Change "unstable and/or unsuitable material" to "unsuitable material".
- Page 267 Article 441.04. In Note 1/, change "unstable" to "unsuitable".
- Page 269 Article 441.05. In the last paragraph, change "Unsuitable or unstable material" to "Unsuitable material".
- Page 270 Article 441.10. In the second paragraph, change "unstable" to "unsuitable".
- Page 273 Article 442.05. In the fourth paragraph, change "unsuitable and unstable materials" to "unsuitable materials".
- Page 282 Article 442.08(b). Change "Articles 1030.05(d)(3), (d)(4), and (d)(7)." to "Articles 1030.09(b), 1030.09(c), and 1030.09(f)."
- Page 308 Article 502.12(b). In the last sentence of the first paragraph, change "unstable and/or unsuitable material" to "unsuitable material".
- Page 310 Article 502.13. In the first sentence of the fourth paragraph, change "unstable and/or unsuitable material" to "unsuitable material".
- Page 310 Article 502.13. In the second sentence of the fourth paragraph, change "unstable and/or unsuitable material" to "unsuitable material".
- Page 444 Article 522.15(b). In the eighteenth paragraph, change "unstable and/or unsuitable material" to "disposal of unsuitable material".



## Check Sheet for Recurring Special Provisions

Local Public Agency	County	Section Number
CITY OF TROY	Madison	23-00000-00-GM

Check this box for lettings prior to 01/01/2023.

The Following Recurring Special Provisions Indicated By An "X" Are Applicable To This Contract And Are Included By Reference:

Recurring Special Provisions

<u>Check Sheet #</u>		<u>Page No.</u>
1	<input type="checkbox"/> Additional State Requirements for Federal-Aid Construction Contracts	53
2	<input type="checkbox"/> Subletting of Contracts (Federal-Aid Contracts)	56
3	<input type="checkbox"/> EEO	57
4	<input type="checkbox"/> Specific EEO Responsibilities Non Federal-Aid Contracts	67
5	<input type="checkbox"/> Required Provisions - State Contracts	72
6	<input type="checkbox"/> Asbestos Bearing Pad Removal	78
7	<input type="checkbox"/> Asbestos Waterproofing Membrane and Asbestos HMA Surface Removal	79
8	<input type="checkbox"/> Temporary Stream Crossings and In-Stream Work Pads	80
9	<input type="checkbox"/> Construction Layout Stakes	81
10	<input type="checkbox"/> Use of Geotextile Fabric for Railroad Crossing	84
11	<input type="checkbox"/> Subsealing of Concrete Pavements	86
12	<input type="checkbox"/> Hot-Mix Asphalt Surface Correction	90
13	<input type="checkbox"/> Pavement and Shoulder Resurfacing	92
14	<input type="checkbox"/> Patching with Hot-Mix Asphalt Overlay Removal	93
15	<input type="checkbox"/> Polymer Concrete	95
16	<input type="checkbox"/> Reserved	97
17	<input type="checkbox"/> Bicycle Racks	98
18	<input type="checkbox"/> Temporary Portable Bridge Traffic Signals	100
19	<input type="checkbox"/> Nighttime Inspection of Roadway Lighting	102
20	<input type="checkbox"/> English Substitution of Metric Bolts	103
21	<input type="checkbox"/> Calcium Chloride Accelerator for Portland Cement Concrete	104
22	<input type="checkbox"/> Quality Control of Concrete Mixtures at the Plant	105
23	<input type="checkbox"/> Quality Control/Quality Assurance of Concrete Mixtures	113
24	<input type="checkbox"/> Reserved	129
25	<input type="checkbox"/> Reserved	130
26	<input type="checkbox"/> Temporary Raised Pavement Markers	131
27	<input type="checkbox"/> Restoring Bridge Approach Pavements Using High-Density Foam	132
28	<input type="checkbox"/> Portland Cement Concrete Inlay or Overlay	135
29	<input type="checkbox"/> Portland Cement Concrete Partial Depth Hot-Mix Asphalt Patching	139
30	<input type="checkbox"/> Longitudinal Joint and Crack Patching	142
31	<input type="checkbox"/> Concrete Mix Design - Department Provided	144
32	<input type="checkbox"/> Station Numbers in Pavements or Overlays	145

Local Public Agency

County

Section Number

CITY OF TROY

Madison

23-00000-00-GM

The Following Local Roads And Streets Recurring Special Provisions Indicated By An "X" Are Applicable To This Contract And Are Included By Reference:

Local Roads And Streets Recurring Special Provisions

<u>Check Sheet #</u>		<u>Page No.</u>
LRS 1	<b>Reserved</b>	147
LRS 2	<input type="checkbox"/> Furnished Excavation	148
LRS 3	<input type="checkbox"/> Work Zone Traffic Control Surveillance	149
LRS 4	<input type="checkbox"/> Flaggers in Work Zones	150
LRS 5	<input checked="" type="checkbox"/> Contract Claims	151
LRS 6	<input type="checkbox"/> Bidding Requirements and Conditions for Contract Proposals	152
LRS 7	<input checked="" type="checkbox"/> Bidding Requirements and Conditions for Material Proposals	158
LRS 8	<b>Reserved</b>	164
LRS 9	<input type="checkbox"/> Bituminous Surface Treatments	165
LRS 10	<b>Reserved</b>	169
LRS 11	<input checked="" type="checkbox"/> Employment Practices	170
LRS 12	<input checked="" type="checkbox"/> Wages of Employees on Public Works	172
LRS 13	<input checked="" type="checkbox"/> Selection of Labor	174
LRS 14	<input type="checkbox"/> Paving Brick and Concrete Paver Pavements and Sidewalks	175
LRS 15	<input checked="" type="checkbox"/> Partial Payments	178
LRS 16	<input type="checkbox"/> Protests on Local Lettings	179
LRS 17	<input checked="" type="checkbox"/> Substance Abuse Prevention Program	180
LRS 18	<input type="checkbox"/> Multigrade Cold Mix Asphalt	181
LRS 19	<input type="checkbox"/> Reflective Crack Control Treatment	182

## Instructions for BLR 11300 - Page 1 of 1

Note: Instructions are not to be submitted with the form.

This form shall be used and included in proposal/contract documents. Items checked on the check sheet are included by reference and do not need to also be attached.

For more information see Chapter 11 of the Bureau of Local Roads and Street Manual (BLRS Manual).

Local Public Agency	Insert the name of the Local Public Agency (LPA) the proposal is for.
County	From the drop down, select the name of the County in which the LPA is located.
Section Number	Insert the section number without dashes that the proposal/contract is for.
Check Box for Letting Date	Check this box if the letting is to be held prior to January 1, 2022. For lettings held on or after January 1, 2022 leave the box blank. This choice allows the correct version of the form to display for the desired letting.
Special Provisions	Check the boxes for the Recurring Special Provisions and the Local Roads and Streets Recurring Special Provisions which are to be included in this proposal/contract package by reference.

This form is to be submitted in the proposal packet for material proposal/deliver and install proposals and contract proposals.



Local Public Agency	County	Section Number
CITY OF TROY	Madison	23-00000-00-GM

The following Special Provision supplement the "Standard Specifications for Road and Bridge Construction", adopted

**JANUARY 1, 2023**

, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways", and the "Manual of Test Procedures of Materials" in effect on the date of invitation of bids, and the Supplemental Specification and Recurring Special Provisions indicated on the Check Sheet included here in which apply to and govern the construction of the above named section, and in case of conflict with any parts, or parts of said Specifications, the said Special Provisions shall take precedence and shall govern.

1. All materials shall be State inspected/State certified, and it shall be the responsibility of the Contractor to secure the required inspection reports and certifications. These shall be made available the the City at the time of invoicing.
2. All material tickets and invoices shall have the statement "2023 MFT Maintenance" typed or written on them and shall be billed to the City.
3. It is the combined responsibility of the Contractors spreading the seal coat aggregate and bituminous material to arrange their work so the aggregate shall be spread within ten minutes of the bituminous material application.
4. The Contractor applying liquid bituminous materials is reminded that the distributor shall be equipped with a hand spray nozzle having a suitable length of flexible hose as specified in Article 1102.05 (e), Paragraph 3. The Contractor is also reminded that Article 1102.05 (e) states that means shall be provided to stop flow of bituminous material quickly and to prevent it from dripping where the flow is shut off. The spray bar itself is to be equipped with cab controlled shut off and on individual controls for each one foot section of spray bar.
5. The City reserves the right to use only the amounts of materials needed to complete their maintenance operations, and may not use all or any of the quantities bid. The Contractor supplying materials shall not receive any compensation for the unused quantity of material.
6. BLR 12325 - Apprenticeship or Training Program Certification form shall be completed and approved by IDOT for bids on Bituminous Materials, HFRS2 Furnished & Applied and Crack Seal Furnished and Applied.
7. The Contractor will be required to submit a Contract Bond (on IDOT form BLR 12321) for Bituminous Materials, HFRS2 Furnished & Applied should their proposal be greater than \$50,000.00
8. The Contractor will be required to submit a Contract Bond (on IDOT form BLR 12321) for Crack Sealing, Furnished & Applied should their proposal be greater than \$50,000.00
9. For Bituminous Materials, HFRS2 Furnished & Applied, the Contractor shall weigh the distributor tank at an IDOA certified scale prior to filling it and after emptying it each time. All cost associated with furnishing the material, applying the material, and weighing the material shall be included in the price of Bituminous Material, HFRS2 Furnished & Applied.
10. For Bituminous Materials Furnished (Hot Mix & Cold Patch), The City will Pick up materials at the plant on an as needed basis. The bidder shall provide a plant location on the BLR 12241. All material to be purchased must come from this plant location. The distance from the City Garage, (416 E. Center St., Troy, IL), to the plant indicated, and back to the City Garage will then be calculated. This distance will be multiplied by a value of \$0.24 per mile. This hauling differential will be added to the unit price and the low

Local Public Agency

County

Section Number

CITY OF TROY

Madison

23-00000-00-GM

bidder shall be determined after this adjustment.

11. Applicable prevailing wage rates shall be utilized for the duration of this project.

12. Contracts for furnishing materials will expire: December 31, 2022.

## **Instructions for BLR 11310**

This form shall be used as the starting paragraph for the special provision packet included in Federal Aid, Township Bridge (TBP) and Motor Fuel Tax (MFT) roadway improvement and maintenance projects. For more information see Chapter 11 of the Bureau of Local Roads and Street Manual (BLRS Manual).



Local Public Agency	County	Section Number
City of Troy	Madison	23-00000-00-GM

The following Special Provision supplement the "Standard Specifications for Road and Bridge Construction", adopted January 1, 2023, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways", and the "Manual of Test Procedures of Materials" in effect on the date of invitation of bids, and the Supplemental Specification and Recurring Special Provisions indicated on the Check Sheet included here in which apply to and govern the construction of the above named section, and in case of conflict with any parts, or parts of said Specifications, the said Special Provisions shall take precedence and shall govern.

- 1. DESCRIPTION OF WORK**  
 This work shall consist of a joint sealing on existing Portland cement concrete surfaces (PCC) and Hot Mix Asphalt (HMA) on several city streets throughout the City of Troy as shown on the attached location map. This work shall include all necessary traffic control, workmen, equipment, materials, and other items necessary to complete this item of maintenance.
- 2. PREQUALIFICATION OF BIDDER:**  
 Prequalification of bidders by the Illinois Department of Transportation is not required. However, bidders must submit either a Certificate of Eligibility from IDOT, or a list of 3 or more relevant projects with references, prior to receiving bid documents. The bidder must submit this form or references in a SEPARATE ENVELOPE, DO NOT PLACE in the proposal envelope.
- 3. PRECONSTRUCTION MEETING**  
 Prior to the start of construction, the Contractor shall have a preconstruction meeting with the City of Troy. The Contractor shall submit their contact information, construction staging details, notification draft, proposed schedule, and traffic control plan. The City will review these items and inform the Contractor of any issues present.
- 4. NOTIFICATION REQUIREMENTS**  
 The contractor shall be required to notify the Director of Public Works at least 48 hours prior to the closure or partial closure of the streets to be affected by maintenance in this proposed improvement. Information required: date of the closure, expected length of closure, and the names of two company representatives with telephone numbers to be reached in case of emergency.  
  
 The contractor shall be responsible for notifying residents and businesses about the street closures. All residents and businesses affected by a street closure of maintenance operation shall be notified 48 hours in advance of such operation. The contractor shall leave written notification in an obvious place at all affected residences or businesses.  
  
 The Contractor shall supply the notification forms to be distributed. The Notification Forms shall be submitted to and approved by the Director of Public Works prior to distribution. The notices shall include date and expected duration of closure.
- 5. WORKING HOURS | LOCATIONS OF WORK:**  
 All work shall be performed between the hours of 7:00 a.m. and 4:30 p.m. It will be necessary, in the performance of these work activities; to provide for the continuous flow of traffic and all roads shall be open by the end of working hours defined by these special provisions. Work under this contract shall be performed during times scheduled with and approved by the engineer.
- 6. WORKING DATES:**  
 The streets to be sealed under this contract will also have in house preparation work done to them prior to the application of the sealant. All crack-filling and related work under this contract must be completed by

City of Troy

Madison

23-00000-00-GM

September 30, 2023.

#### 7. TEMPORARY TRAFFIC CONTROL DEVICES

This item shall consist of furnishing, installation, maintenance, relocation and removal of all signs, signals, arrow boards, pavement markings, traffic cones, barricades, warning lights, flaggers and other traffic control devices which are used for purpose of regulating, warning or direction traffic, including pedestrians, during the construction and maintenance of the improvement, as shown on the plans and in accordance with the applicable sections of the "Standard Specifications for Road and Bridge Construction", the applicable guidelines contained in the "Manual on Uniform Traffic Control Devices for Streets and Highways", the Illinois Supplement to said manual, these special provisions and any special details and Highway Standards contained herein and included in the plans.

The CONTRACTOR shall conduct his Work at all times in a manner and in such a sequence that will minimize the interference with vehicular and pedestrian traffic. The work area shall be confined to the smallest area possible to allow maximum use of the street or sidewalk. Throughout the construction period, all piles, equipment or other obstructions or hazards to motorists or pedestrians shall be enclosed by fences or protected by barricades and proper lighting.

Variations to the traffic control and protection standards specified may be permitted. The CONTRACTOR shall submit a traffic control plan showing any proposed variations he intends to use. The ENGINEER must approve any deviations from the standards prior to their installation. Variations will be allowed if they are appropriate during those times when specific construction methods or procedures are being performed.

The traffic control plan shall maintain vehicular access at all times for residence of any adjacent streets or Businesses. Contractor to supply all required information to the engineer to complete submission of OPER 725.

Traffic Control and Surveillance as described in Article 701.10 of the "Standard Specifications for Road and Bridge Construction" will not be required. Disregard Articles 701.19(d) and 701.20(g) concerning measurement and payment for Traffic Control Surveillance,

This Work will not be paid for separately but shall be considered included in the cost of crack sealing and shall include furnishing, installing, maintaining and relocating and removing all traffic control devices required for the successful completion of the project.

#### 8. CLEANING FOR CRACK SEALING

The mechanical or hand cleaning of the joints for this item of construction will be performed by the contractor. The City of Troy will apply herbicide to the joints prior to construction. The contractor will ensure that all incidental hand cleaning and any major accumulations shall be picked up prior so that the city's mechanical street sweeper will be able to pick up the remainder in one pass. The contractor shall notify the City at least 48 hours in advance of when a section is to be cleaned. It will be the responsibility of the contractor to coordinate with engineer for scheduling of clean up. The hand-work involved such as miscellaneous driveways, alley returns, street returns, and other miscellaneous major or minor hand cleaning shall be incidental.

#### 9. COVERING OF ALL SERVICES

The contractor shall be responsible for covering all manhole lids, water valves, and other utility access points with a protective sheeting prior to the actual lay down operation to ensure that none of these access points are covered with material. If any of these areas are covered with material, the contractor shall be responsible for uncovering those said areas.

**10. FAILURE TO COMPLETE ON TIME**

Should the contractor fail to complete the work by September 30, 2022 or within the extra time they may be allowed by an extension, the contractor shall be liable to the City of Troy at the rate as set in the Standard Specifications for Road and Bridge Construction, adopted April 1, 2016, per calendar day to cover all costs incurred for engineering, inspection and any other expenses incurred for engineering, inspection and any other expenses incurred by the City of Troy by reason of the contractor's failure to complete the work within the specified time and such amount should be deducted from the monies due to contractor, not as a penalty but as damage sustained.

**11. PAY ITEM "CRACK SEALING"**

11.1 This work shall consist of crack sealing asphalt and concrete pavement as shown on the plans, according to Sections 451 and 452 of the "Standard Specifications for Road and Bridge Construction", except as modified herein.

11.2 Crack sealant shall meet the following requirements:

Crafco Sealant or approved equal according to ASTM D5167 and the following:

1. Cone Penetration (ASTM D5329) 35 max.
2. Flow, 140 degrees-F, 5h (ASTM D5329) 3.0mm max.
3. Resilience (ASTM D5329) 30% min.
4. Softening Point (ASTM D36) 210 degrees-F min.
5. Ductility, 77 degrees-F (ASTM D113) 50 cm min.
6. Mandrel Bend, 0 & 180 degrees-F Pass
- 5 sec., 1/2" dia. (ASTM D3111 modified) Pass
7. Asphalt Compatibility (ASTM D5329) Pass
8. Minimum Application Temperature 380 degrees-F
9. Maximum Heating Temperature 400 degrees-F

11.3 Crack sealant shall be delivered to the project site in the original packages with seals unbroken and bearing manufacturer's labels containing brand name and type of material, date of manufacture, and directions for storage.

11.4 Sealant shall be clean, dry, and be kept in a protected location within the temperature range specified by the manufacturer. The material shall be stored away from direct sunlight.

11.5 Prior to crack sealing operations, the road surface shall be sufficiently dry. Weather conditions or other conditions shall be favorable and shall be expected to remain so for the performance of the work.

11.6 Cracks shall be routed according to section 451 and 452 of the "Standard Specification for Road and Bridge Construction" and shall be free of all loose dust, dirt, leaves, other foreign materials, and water. This shall be accomplished by utilizing an asphalt crack hoe, sweeping, blowing, and flushing with water.

11.7 Joints and cracks that meet or exceed 1/8" or as directed by the engineer shall be sealed. The method for crack sealing shall be the Reservoir Method. After the crack has been sufficiently cleaned, it shall be filled flush or slightly below the surface of the reservoir.

Local Public Agency

County

Section Number

City of Troy

Madison

23-00000-00-GM

blank

## **Instructions for BLR 11310**

This form shall be used as the starting paragraph for the special provision packet included in Federal Aid, Township Bridge (TBP) and Motor Fuel Tax (MFT) roadway improvement and maintenance projects. For more information see Chapter 11 of the Bureau of Local Roads and Street Manual (BLRS Manual).

N



**MAP LEGEND**

- ★ Completed
- ★ Fair
- ★ Moderate
- ★ Severe

— All Other Streets  
 — Crack Seal FY 2023 - 2024



**CITY OF TROY  
PASEP  
PAVEMENT PROGRAM**

EXHIBIT C  
STREET MAINTENANCE  
PLAN FY 2023 - 2024


JOB NO: 15062.007

DATE: 05/18/2022



100 LANTER COURT, SUITE 1  
COLLINGSVILLE, IL 62234  
618.345.2200  
www.oatesassociates.com

Collinsville Belleville St. Louis St. Charles



## Madison County Prevailing Wage Rates posted on 1/18/2023

Trade Title	Rg	Type	C	Base	Foreman	Overtime				H/W	Pension	Vac	Trng	Other Ins
						M-F	Sa	Su	Hol					
ASBESTOS ABT-GEN	NW	ALL		33.34	34.34	1.5	1.5	2.0	2.0	7.25	19.84	0.00	0.80	
ASBESTOS ABT-GEN	SE	ALL		33.93	34.93	1.5	1.5	2.0	2.0	8.60	17.90	0.00	0.80	
ASBESTOS ABT-MEC	All	BLD		33.70	34.70	1.5	1.5	2.0	2.0	9.95	6.25	0.00	0.50	
BOILERMAKER	All	BLD		41.50	45.00	1.5	1.5	2.0	2.0	7.07	26.56	0.00	1.06	
BRICK MASON	All	BLD		36.74	38.94	1.5	1.5	2.0	2.0	9.05	15.68	0.00	0.91	
CARPENTER	All	ALL		41.62	43.12	1.5	1.5	2.0	2.0	9.20	10.30	0.00	0.65	
CEMENT MASON	All	ALL		36.75	37.75	1.5	1.5	2.0	2.0	10.60	16.50	0.00	0.50	
CERAMIC TILE FINISHER	All	BLD		27.38	27.38	1.5	1.5	2.0	2.0	8.80	7.69	0.80	0.83	
ELECTRIC PWR EQMT OP	NW	ALL		50.48	50.48	1.5	1.5	2.0	2.0	7.00	14.13	0.00	0.50	3.25
ELECTRIC PWR EQMT OP	SE	ALL		50.99	61.47	1.5	1.5	2.0	2.0	6.95	14.28	0.00	0.51	
ELECTRIC PWR GRNDMAN	NW	ALL		33.27	33.27	1.5	1.5	2.0	2.0	7.00	9.32	0.00	0.33	3.25
ELECTRIC PWR GRNDMAN	SE	ALL		38.07	61.47	1.5	1.5	2.0	2.0	5.19	10.67	0.00	0.38	
ELECTRIC PWR LINEMAN	NW	ALL		58.95	62.27	1.5	1.5	2.0	2.0	7.00	16.51	0.00	0.59	3.25
ELECTRIC PWR LINEMAN	SE	ALL		58.63	61.47	1.5	1.5	2.0	2.0	7.99	16.42	0.00	0.59	
ELECTRIC PWR TRK DRV	NW	ALL		37.68	37.68	1.5	1.5	2.0	2.0	7.00	10.55	0.00	0.38	3.25
ELECTRIC PWR TRK DRV	SE	ALL		41.62	61.47	1.5	1.5	2.0	2.0	5.67	11.66	0.00	0.42	
ELECTRICIAN	SE	ALL		45.49	48.22	1.5	1.5	2.0	2.0	7.99	13.91	0.00	1.25	2.97
ELECTRONIC SYSTEM TECH	NW	BLD		34.44	37.44	1.5	1.5	2.0	2.0	11.00	8.76	0.00	0.40	
ELECTRONIC SYSTEM TECH	SE	BLD		36.27	39.27	1.5	1.5	2.0	2.0	4.00	11.10	0.00	0.40	0.50
ELEVATOR CONSTRUCTOR	All	BLD		55.29	62.20	2.0	2.0	2.0	2.0	16.02	20.21	4.42	0.65	
FLOOR LAYER	All	BLD		36.33	37.08	1.5	1.5	2.0	2.0	9.20	10.30	0.00	0.65	
GLAZIER	All	BLD		40.25	42.75	1.5	1.5	2.0	2.0	9.51	14.23	0.00	1.26	
HEAT/FROST INSULATOR	All	BLD		41.13	42.13	1.5	1.5	2.0	2.0	11.24	13.35	0.00	0.95	
IRON WORKER	All	ALL		38.80	40.80	1.5	1.5	2.0	2.0	10.55	18.50	0.00	0.48	
LABORER	NW	ALL		32.84	33.84	1.5	1.5	2.0	2.0	7.25	19.84	0.00	0.80	
LABORER	SE	ALL		33.43	34.43	1.5	1.5	2.0	2.0	8.60	17.90	0.00	0.80	
MACHINIST	All	BLD		53.18	57.18	1.5	1.5	2.0	2.0	9.93	8.95	1.85	1.47	
MARBLE FINISHER	All	BLD		27.38	27.38	1.5	1.5	2.0	2.0	8.80	7.69	0.80	0.84	
MARBLE MASON	All	BLD		32.87	32.87	1.5	1.5	2.0	2.0	8.80	9.10	0.80	0.93	
MILLWRIGHT	All	ALL		41.62	43.12	1.5	1.5	2.0	2.0	9.20	10.30	0.00	0.65	
OPERATING ENGINEER	All	BLD	1	42.45	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45	

OPERATING ENGINEER	All	BLD	2	41.32	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	BLD	3	36.84	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	BLD	4	43.45	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	BLD	5	44.45	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	BLD	6	45.00	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	BLD	7	45.30	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	BLD	8	45.60	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	BLD	9	46.25	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	BLD	10	46.75	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	BLD	11	44.45	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	BLD	12	45.45	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	BLD	13	42.45	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	BLD	14	36.90	45.45	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	1	40.95	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	2	39.82	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	3	35.34	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	4	41.95	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	5	42.95	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	6	43.50	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	7	43.80	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	8	44.10	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	9	44.75	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	10	45.25	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	11	42.95	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	12	43.95	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
OPERATING ENGINEER	All	HWY	13	35.40	43.95	1.5	1.5	2.0	2.0	14.25	19.25	0.00	1.45
PAINTER	All	BLD		32.45	33.95	1.5	1.5	2.0	2.0	7.45	13.67	0.00	0.70
PAINTER	All	HWY		33.65	35.15	1.5	1.5	2.0	2.0	7.45	13.67	0.00	0.70
PAINTER OVER 30 FT.	All	BLD		33.45	34.95	1.5	1.5	2.0	2.0	7.45	13.67	0.00	0.70
PAINTER PWR EQMT	All	BLD		33.45	34.95	1.5	1.5	2.0	2.0	7.45	13.67	0.00	0.70
PAINTER PWR EQMT	All	HWY		34.65	36.15	1.5	1.5	2.0	2.0	7.45	13.67	0.00	0.70
PILEDRIVER	All	ALL		41.62	43.12	1.5	1.5	2.0	2.0	9.20	10.30	0.00	0.65
PIPEFITTER	N	BLD		48.31	50.72	1.5	2.0	2.0	2.0	5.25	10.50	0.00	0.60
PIPEFITTER	S	BLD		41.75	45.75	1.5	1.5	2.0	2.0	9.40	10.80	0.00	1.55
PLASTERER	All	BLD		35.50	37.00	1.5	1.5	2.0	2.0	10.60	11.75	0.00	0.65
PLUMBER	N	BLD		48.31	50.72	1.5	2.0	2.0	2.0	5.25	10.50	0.00	0.60

PLUMBER	S	BLD		40.50	43.00	1.5	1.5	2.0	2.0	9.45	8.40	0.00	1.20	
ROOFER	All	BLD		35.85	38.35	1.5	1.5	2.0	2.0	9.25	9.95	0.00	0.61	
SHEETMETAL WORKER	All	ALL		38.43	39.93	1.5	1.5	2.0	2.0	10.95	9.71	2.31	0.71	1.84
SPRINKLER FITTER	All	BLD		46.99	50.74	2.0	2.0	2.0	2.0	10.39	15.10	0.00	1.10	
TERRAZZO FINISHER	All	BLD		27.38	27.38	1.5	1.5	2.0	2.0	8.80	7.69	0.80	0.84	
TERRAZZO MASON	All	BLD		32.87	32.87	1.5	1.5	2.0	2.0	8.80	9.10	0.80	0.93	
TRUCK DRIVER	All	ALL	1	41.00	45.36	1.5	1.5	2.0	2.0	14.69	7.43	0.00	0.25	
TRUCK DRIVER	All	ALL	2	41.58	45.36	1.5	1.5	2.0	2.0	14.69	7.43	0.00	0.25	
TRUCK DRIVER	All	ALL	3	41.90	45.36	1.5	1.5	2.0	2.0	14.69	7.43	0.00	0.25	
TRUCK DRIVER	All	ALL	4	42.25	45.36	1.5	1.5	2.0	2.0	14.69	7.43	0.00	0.25	
TRUCK DRIVER	All	ALL	5	43.36	45.36	1.5	1.5	2.0	2.0	14.69	7.43	0.00	0.25	
TRUCK DRIVER	All	O&C	1	32.80	36.29	1.5	1.5	2.0	2.0	14.69	7.43	0.00	0.25	
TRUCK DRIVER	All	O&C	2	33.26	36.29	1.5	1.5	2.0	2.0	14.69	7.43	0.00	0.25	
TRUCK DRIVER	All	O&C	3	33.52	36.29	1.5	1.5	2.0	2.0	14.69	7.43	0.00	0.25	
TRUCK DRIVER	All	O&C	4	33.80	36.29	1.5	1.5	2.0	2.0	14.69	7.43	0.00	0.25	
TRUCK DRIVER	All	O&C	5	34.69	36.29	1.5	1.5	2.0	2.0	14.69	7.43	0.00	0.25	

### Legend

**Rg** Region

**Type** Trade Type - All,Highway,Building,Floating,Oil & Chip,Rivers

**C** Class

**Base** Base Wage Rate

**OT M-F** Unless otherwise noted, OT pay is required for any hour greater than 8 worked each day, Mon through Fri. The number listed is the multiple of the base wage.

**OT Sa** Overtime pay required for every hour worked on Saturdays

**OT Su** Overtime pay required for every hour worked on Sundays

**OT Hol** Overtime pay required for every hour worked on Holidays

**H/W** Health/Welfare benefit

**Vac** Vacation

**Trng** Training

**Other Ins** Employer hourly cost for any other type(s) of insurance provided for benefit of worker.

### Explanations MADISON COUNTY

ELECTRICIANS AND ELECTRIC SYSTEMS TECHNICIAN (NORTHWEST) - Townships of Godfrey, Foster and Wood River, and the western one mile of Moro, Ft. Russell and Edwardsville, south to the north side of Hwy. 66 and west to the Mississippi River. This includes SIU-Edwardsville Dental Facility and Alton Mental Health Hospital.

ELECTRICIANS AND ELECTRIC SYSTEMS TECHNICIAN (SOUTHEAST) - Remainder of county not covered by ELECTRICIANS AND ELECTRIC SYSTEMS TECHNICIAN (NW) including SIU-Edwardsville Main Campus.

LABORERS (NORTHWEST) - That area northwest of a diagonal line running from the Mississippi River at the intersection of the waterway known as Wood River at Maple Island, northeast through the highway intersection of Illinois Routes 3 and 143 and

following the boundary of Alton/East Alton, then preceding northeast to the county line at a point approximately one mile west of Illinois Route 159.

**PLUMBERS AND PIPEFITTERS (SOUTH)** - That part of the county South of a line between Mitchell and Highland including the town of Glen Carbon.

The following list is considered as those days for which holiday rates of wages for work performed apply: New Years Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day, Christmas Day and Veterans Day in some classifications/counties. Generally, any of these holidays which fall on a Sunday is celebrated on the following Monday. This then makes work performed on that Monday payable at the appropriate overtime rate for holiday pay. Common practice in a given local may alter certain days of celebration. If in doubt, please check with IDOL.

Oil and chip resealing (O&C) means the application of road oils and liquid asphalt to coat an existing road surface, followed by application of aggregate chips or gravel to coated surface, and subsequent rolling of material to seal the surface.

#### EXPLANATION OF CLASSES

**ASBESTOS - GENERAL** - removal of asbestos material/mold and hazardous materials from any place in a building, including mechanical systems where those mechanical systems are to be removed. This includes the removal of asbestos materials/mold and hazardous materials from ductwork or pipes in a building when the building is to be demolished at the time or at some close future date.

**ASBESTOS - MECHANICAL** - removal of asbestos material from mechanical systems, such as pipes, ducts, and boilers, where the mechanical systems are to remain.

#### CERAMIC TILE FINISHER AND MARBLE FINISHER

The handling, at the building site, of all sand, cement, tile, marble or stone and all other materials that may be used and installed by [a] tile layer or marble mason. In addition, the grouting, cleaning, sealing, and mixing on the job site, and all other work as required in assisting the setter. The term "Ceramic" is used for naming the classification only and is in no way a limitation of the product handled. Ceramic takes into consideration most hard tiles.

#### ELECTRONIC SYSTEMS TECHNICIAN

Installation, service and maintenance of low-voltage systems which utilizes the transmission and/or transference of voice, sound, vision, or digital for commercial, education, security and entertainment purposes for the following: TV monitoring and surveillance, background/foreground music, intercom and telephone interconnect, field programming, inventory control systems, microwave transmission, multi-media, multiplex, radio page, school, intercom and sound burglar alarms and low voltage master clock systems.

Excluded from this classification are energy management systems, life safety systems, supervisory controls and data acquisition systems not intrinsic with the above listed systems, fire alarm systems, nurse call systems and raceways exceeding fifteen feet in length.

#### OPERATING ENGINEER - BUILDING

#### GROUP I

Cranes, Draglines, Shovels, Skimmer Scoops, Clamshells or Derrick Boats, Pile Drivers, Crane-Type Backhoes, Asphalt Plant Operators, Concrete Plant Operators, Dredges, Asphalt Spreading Machines, Screws on Asphalt Spreading Machines, All Locomotives, Cable Ways or Tower Machines, Hoists, Hydraulic Backhoes, Ditching Machines, or Backfiller, Cherrypickers, overhead Cranes, Roller, Steam or Gas, Concrete Pavers, Excavator Concrete Breakers, Concrete Pumps, Bulk Cement Plants,

Cement Pumps, Derrick-Type Drills, Boat Operators, Motor Graders or Pushcats, Scoops or Tournapulls, Bulldozers, Endloaders or Fork Lifts, Power Blade or Elevating Graders, Winch Cats, Boom or Winch Trucks or Boom Tractors, Pipe Wrapping or Painting Machines, Asphalt Plant Engineer, Journeyman Lubricating Engineer, Drills (other than derrick type), Mud Jacks, or Well Drilling Machines, Boring Machines or Track Jacks, Mixers, Conveyors (two), Air Compressors (two) Water Pumps, regardless of size (two), Welding Machines (two), Siphons or Jets (two), Winch Head or Apparatuses (two), Light Plants (two), Waterblasters (two), all Tractors, regardless of size (straight tractor only), Fireman on Stationary Boilers, Automatic Elevators, Form Grading Machines, Finishing Machines, Power Sub-Grader or Ribbon Machines, Longitudinal Floats, Distributor Operators on Trucks, Winch Heads or Apparatuses (one), Mobil Track air and heaters (two to five), Heavy Equipment Greaser, Relief Operator, Assistant Master Mechanic and Heavy Duty Mechanic, Autonomous and semi-autonomous equipment, concrete saws of all types and sizes with their attachments, gob-hoppers, excavators all sizes, the repair, greasing, and fueling of all diesel hammers, the operation, set-up and cleaning of bidwells, concrete placement booms, the alterations, repair of all barges, water blasters of all sizes and their clutches, mobile lifts, hydraulic jacks where used for hoisting, diesel or gas powered flashing signs used for traffic control, micro pavers, log skidders, iceolators used on and off of pipeline, condor cranes, drill rigs of all sizes, bow boats, survey boats, ross carriers, bob-cats and all their attachments, skid steer loaders and all their attachments, creter crane, direct drive electric motors the bolting and unbolting the adjusting and shimming, (dewatering jobs, whirley crane, conveyor belts) etc., batch plants (all sizes), roto mills, conveyors systems of any size and any configuration, hydroseeders and straw-blowers all sizes, operation, repair, service of all vibratory hammers, all power pacs and their controls regardless of location, curtains or brush burning machines, stump cutter machines, grout machines regardless of size, Nail Launchers when mounted on a machine or self-propelled, con-cover machines, Goldhofer and similar S.P.M.T. (self-propelled modular transporters) heavy transport units and all Operators (except those listed below).

#### GROUP II

Assistant Operators

#### GROUP III

Air Compressors (one), Water Pumps, regardless of size (one), Water-blasters (one), Welding Machine (one), Mixers (one bag), Conveyor (one), Siphon or Jet (one), Light Plant (one), Heater (one), Immobile Track Air (one), and Self-Propelled Walk Behind Rollers.

#### GROUP IV

CCO-17 ton and below

#### GROUP V

CCO-17.5 to 35 Ton and Boom to 50'

#### GROUP VI

CCO-35.5 to 75 Ton and Boom to 100'

#### GROUP VII

CCO-75.5 to 125 Ton and Boom to 125'

#### GROUP VIII

CCO- 125.5 to 200 Ton and Boom to 100'

#### GROUP IX

CCO-200.5 to 300 Ton and Boom to 100'

#### GROUP X

CCO-300.5 to 450 Ton and Boom to 150'

#### GROUP XI

Master Mechanic

GROUP XII

Operator Foreman, Licensed Boat Pilot

GROUP XIII

Track type hydraulic hoes & crawler gradealls prep time.

GROUP XIV

Fireman on Whirlies and Heavy Equipment Oilers, Truck Cranes, Dredges, Monigans, Large Cranes - (Over 65-ton rated capacity) Concrete Plant Oiler, Blacktop Plant oiler and Creter Crane Oiler (when required), barge tenders, oilers on drill rigs used for caisson or for pile driving and Oiler.

OPERATING ENGINEERS – Highway

GROUP I

Cranes, Draglines, Shovels, Skimmer Scoops, Clamshells or Derrick Boats, Pile Drivers, Crane-Type Backhoes, Asphalt Plant Operators, Concrete Plant Operators, Dredges, Asphalt Spreading Machines, Screws on Asphalt Spreading Machines, All Locomotives, Cable Ways or Tower Machines, Hoists, Hydraulic Backhoes, Ditching Machines, or Backfiller, Cherrypickers, overhead Cranes, Roller, Steam or Gas, Concrete Pavers, Excavator Concrete Breakers, Concrete Pumps, Bulk Cement Plants, Cement Pumps, Derrick-Type Drills, Boat Operators, Motor Graders or Pushcats, Scoops or Tournapulls, Bulldozers, Endloaders or Fork Lifts, Power Blade or Elevating Graders, Winch Cats, Boom or Winch Trucks or Boom Tractors, Pipe Wrapping or Painting Machines, Asphalt Plant Engineer, Journeyman Lubricating Engineer, Drills (other than derrick type), Mud Jacks, or Well Drilling Machines, Boring Machines or Track Jacks, Mixers, Conveyors (two), Air Compressors (two) Water Pumps, regardless of size (two), Welding Machines (two), Siphons or Jets (two), Winch Head or Apparatuses (two), Light Plants (two), Waterblasters (two), all Tractors, regardless of size (straight tractor only), Fireman on Stationary Boilers, Automatic Elevators, Form Grading Machines, Finishing Machines, Power Sub-Grader or Ribbon Machines, Longitudinal Floats, Distributor Operators on Trucks, Winch Heads or Apparatuses (one), Mobil Track air and heaters (two to five), Heavy Equipment Greaser, Relief Operator, Assistant Master Mechanic and Heavy Duty Mechanic, concrete saws of all types and sizes with their attachments, gob-hoppers, excavators all sizes, the repair, greasing, and fueling of all diesel hammers, the operation, set-up and cleaning of bidwells, concrete placement booms, the alterations, repair of all barges, water blasters of all sizes and their clutches, mobile lifts, hydraulic jacks where used for hoisting, diesel or gas powered flashing sings used for traffic control, micro pavers, log skiders, iceolators used on and off of pipeline, condor cranes, drill rigs of all sizes, bow boats, survey boats, ross carriers, bob-cats and all their attachments, skid steer loaders and all their attachments, creter crane, direct drive electric motors the bolting and unbolting the adjusting and shiming, (dewatering jobs, whirley crane, conveyor belts) etc., batch plants (all sizes), roto mills, conveyors systems of any size and any configuration, hydroseeders and straw-blowers all sizes, operation, repair, service of all vibratory hammers, all power pacs and their controls regardless of location, curtains or brush burning machines, stump cutter machines, grout machines regardless of size, Nail launchers when mounted on a machine or self-propelled, con-cover machines, Goldhofer and similar S.P.M.T. (self-propelled modular transporters) heavy transport units and all Operators (except those listed below).

GROUP II

Assistant Operators

GROUP III

Air Compressors (one), Water Pumps, regardless of size (one), Water-blasters (one), Welding Machine (one), Mixers (one bag), Conveyor (one), Siphon or Jet (one), Light Plant (one), Heater (one), Immobile Track Air (one), and Self-Propelled Walk Behind Rollers.

GROUP IV

CCO-17 ton and below

GROUP V

CCO-17.5 to 35 Ton and Boom to 50'

GROUP VI

CCO- 35.5 to 75 Ton and Boom to 100'

GROUP VII

CCO- 75.5 to 125 Ton and Boom to 75'

GROUP VIII

CCO- 125.5 to 200 Ton and Boom to 100'

GROUP IX

CCO- 200.5 to 300 Ton and Boom to 100'

GROUP X

CCO- 300.5 to 450 Ton and Boom to 150'

GROUP XI

Master Mechanic, Working Foreman/Mechanic.

GROUP XII

Operator Foreman, licensed boat pilot.

GROUP XIII

Fireman on Whirlies and Heavy Equipment Oilers, Truck Cranes, Dredges, Monigans, Large Cranes - (Over 65-ton rated capacity) Concrete Plant Oiler, Blacktop Plant Oiler and Creter Crane Oiler (when required), barge tenders, oilers on drill rigs used for caisson or for pile driving, and Oiler.

TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION Class 1. Drivers on 2 axle trucks hauling less than 9 ton. Air compressor and welding machines and brooms, including those pulled by separate units, truck driver helpers, warehouse employees, mechanic helpers, greasers and tiremen, pickup trucks when hauling materials, tools, or workers to and from and on-the-job site, and fork lifts up to 6,000 lb. capacity.

Class 2. Two or three axle trucks hauling more than 9 ton but hauling less than 16 ton. A-frame winch trucks, hydrolift trucks, vactor trucks or similar equipment when used for transportation purposes. Fork lifts over 6,000 lb. capacity, winch trucks, four axle combination units, and ticket writers.

Class 3. Two, three or four axle trucks hauling 16 ton or more. Drivers on water pulls, articulated dump trucks, mechanics and working forepersons, and dispatchers. Five axle or more combination units.

Class 4. Low Boy and Oil Distributors.

Class 5. Drivers who require special protective clothing while employed on hazardous waste work.

TRUCK DRIVER - OIL AND CHIP RESEALING ONLY.

This shall encompass laborers, workers and mechanics who drive contractor or subcontractor owned, leased, or hired pickup, dump, service, or oil distributor trucks. The work includes transporting materials and equipment (including but not limited to, oils, aggregate supplies, parts, machinery and tools) to or from the job site; distributing oil or liquid asphalt and aggregate; stock

piling material when in connection with the actual oil and chip contract. The Truck Driver (Oil & Chip Resealing) wage classification does not include supplier delivered materials.

#### TERRAZZO FINISHER

The handling of all materials used for Mosaic and Terrazzo work including preparing, mixing by hand, by mixing machine or transporting of pre-mixed materials and distributing with shovel, rake, hoe, or pail, all kinds of concrete foundations necessary for Mosaic and Terrazzo work, all cement terrazzo, magnesite terrazzo, Do-O-Tex terrazzo, epoxy matrix ter-razzo, exposed aggregate, rustic or rough washed for exterior or interior of buildings placed either by machine or by hand, and any other kind of mixture of plastics composed of chips or granules when mixed with cement, rubber, neoprene, vinyl, magnesium chloride or any other resinous or chemical substances used for seamless flooring systems, and all other building materials, all similar materials and all precast terrazzo work on jobs, all scratch coat used for Mosaic and Terrazzo work and sub-bed, tar paper and wire mesh (2x2 etc.) or lath. The rubbing, grinding, cleaning and finishing of same either by hand or by machine or by terrazzo resurfacing equipment on new or existing floors. When necessary finishers shall be allowed to assist the mechanics to spread sand bed, lay tarpaper and wire mesh (2x2 etc.) or lath. The finishing of cement floors where additional aggregate of stone is added by spreading or sprinkling on top of the finished base, and troweled or rolled into the finish and then the surface is ground by grinding machines.

#### Other Classifications of Work:

For definitions of classifications not otherwise set out, the Department generally has on file such definitions which are available. If a task to be performed is not subject to one of the classifications of pay set out, the Department will upon being contacted state which neighboring county has such a classification and provide such rate, such rate being deemed to exist by reference in this document. If no neighboring county rate applies to the task, the Department shall undertake a special determination, such special determination being then deemed to have existed under this determination. If a project requires these, or any classification not listed, please contact IDOL at 217-782-1710 for wage rates or clarifications.

#### LANDSCAPING

Landscaping work falls under the existing classifications for laborer, operating engineer and truck driver. The work performed by landscape plantsman and landscape laborer is covered by the existing classification of laborer. The work performed by landscape operators (regardless of equipment used or its size) is covered by the classifications of operating engineer. The work performed by landscape truck drivers (regardless of size of truck driven) is covered by the classifications of truck driver.