

PUBLIC NOTICE

Each Wednesday, the Contractor shall furnish his schedule for the next week's work and shall post signs at least 72 hours in advance of his work on each street requiring a lane closure. Handbill notices approved by the Engineer shall be delivered to each residence located within the work zone, at least 72 hours prior to commencing work. Notices shall explain the proposed work and request the resident's forbearance of the inconvenience. All complaints should be directed to the Contractor. Residents may contact the City if their concerns are not resolved satisfactorily by the Contractor.

This work will not be paid for separately, and the cost shall be considered as included in the contract lump sum price bid for the various items of work involved.

EARTH EXCAVATION

This work shall be constructed according to Section 202 of the "Standard Specifications for Road and Bridge Construction," except as modified herein:

At locations where existing bituminous treated surface lies at or below the elevation of the proposed subgrade, the Contractor shall scarify the existing surface, reducing all particles to a size not larger than 4 in. in the largest dimension and recompact the existing surface prior to placing earth embankment or other subbase material only within the future road improvements shown on the plans.

The bottom elevation of the proposed retention pond may be lowered if more earth excavation is needed for the proposed fill areas.

This work will be paid for at the contract lump sum bid price for EARTH EXCAVATION.

SEEDING, CLASS 1A

This work shall consist of preparing the seed bed, and furnishing, transporting and placing the seed, fertilizer and mulch required to restore all disturbed earth surfaces according to Sections 250 and 251 of the "Standard Specifications for Road and Bridge Construction".

The Contractor shall guarantee a minimum of 90 percent uniform growth over the entire seeded areas(s). Areas sustaining less than 90 percent uniform growth shall be interseeded or reseeded, as determined by the Engineer, at no additional cost.

Seeding mixture of IDOT class 1A seed shall be applied at a rate of 200 lb/acre or approved equivalent seed mix.

A 10:10:10 fertilizer mix shall be applied at a rate of 90 lb/acre or equivalent rate of nutrients.

IDOT Mulch Method 2 shall be used. Mulch shall be wheat or rye straw applied at a rate of 2 tons/acre and shall be anchored to the soil.

Delete the method of measurement shown in Article 250.10 of the "Standard Specifications for Road and Bridge Construction".

City of Troy, IL Bid Form

SUBMITTED BY: _____
(Company Name)

The pricing information is hereby provided in accordance with the Terms and Conditions of this **Request for Bid**.

Bid item	Description	Estimated Quantity	Lump Sum Cost
G1	EARTH EXCAVATION	20,204 CU YD	
G2	SEEDING, CLASS 1A	1.75 ACRE	
G3	TEMPORARY SEEDING	5.00 ACRE	
G4	EROSION CONTROL BLANKET	4,801 SQ YD	
G5	PERIMETER EROSION BARRIER	3,307 LF	
G6	INLET & PIPE PROTECTION	4 EACH	
G7	STONE RIPRAP CLASS A3	3 SQ YD	
G8	METAL FLARED END SECTION	1 EACH	
G9	HIGH-DENSITY POLYETHYLENE PIPE, 15"	140 LF	
G10	INLET, SPECIAL NO. 1	1 EACH	
G11	INLET, SPECIAL NO. 2	1 EACH	
G12	INLET, SPECIAL NO. 3	1 EACH	
G13	CONSTRUCTION ENTRANCE	1 EACH	
G14	TRAFFIC CONTROL & PROTECTION (SPECIAL)	1 L SUM	
G15	CONSTRUCTION LAYOUT	1 L SUM	
G16	MOBILIZATION	1 L SUM	
		Base Bid (LS)	

Onsite Visit Made by: NOT REQUIRED	date	
Upon notice to proceed, contractor will complete the project in (calendar days)		
Bid Security enclosed: (10% of total bid)		

*Note: These quantities represent the Designer's estimation for Major work items involved and most small/incidental ork items are not included for brevity.

The quantities reported above shall be field verified by the contractor before bidding. The City provides no warranty to their accuracy so the bidder shall consider them for information only when preparing the bid. Work is lump sum based on the work shown on the plans and described in the special provisions.

RETURN WITH BID

03/03/2026

ADDENDUM NO. #2
City of Troy, IL
Kimberlin Street Retention Pond

This addendum forms a part of the bidding and contract documents and modifies the bidding documents. Acknowledge receipt of this addendum in space provided on Bid Form. FAILURE TO DO SO MAY SUBJECT BIDDER TO DISQUALIFICATION.

Drawings:

1. Replace Sheet C3.2 of the plan set with the sheet provided. HDPE pipe is now specified on the drainage profiles.

Specifications:

1. Replace City of Troy, IL Bid Form (Page 9) with the City of Troy, IL Bid Form provided. Quantity for HDPE pipe has been corrected to show 140 linear feet.
2. Replace page 8 of Special Provisions with page 8 of Special Provisions provided. Fertilizer mix shall be applied at a rate of 90 lb/acre or equivalent rate.

Addendum #2 consists of 1 pages of text and 3 attachments.

RETURN ONE SIGNED COPY TOGETHER WITH YOUR PROPOSAL

Addendum No. 2 is hereby acknowledged.



Name of Bidder: _____

By: _____ Title: _____

Address: _____

Telephone: _____ Date: _____

HPF225007 - TROY CITY ENGINEERING PROJECTS NO. 11 - KIMBERLIN STREET RETENTION POND (REVISED 02/11/2026) 11 - DESIGN - 02-09-2026 (REVISED) DWG - 2/2/2026



ADDENDUM #2



1 South County
Troy, IL 61864
618.247.4242
www.oatesassociates.com

SUBMITTALS	
ISSUE	DATE

KIMBERLIN STREET
RETENTION POND
CITY OF TROY, IL
DRAINAGE PROFILES



EXP: 11/30/27
PROJECT NO.: 225007.011
DATE: 02/17/2026
ISSUING TITLE: DRAINAGE PROFILES
DRAWING NO.: C3.2